



# Quality







## Quality ATV Products

Quality is an important word at King Kutter. It's who we are. It's what we do. It's the equipment we build. Hunters, Outdoorsmen, and Homeowners can get the job done fast, and do a job they can be proud of with ATV Products from King Kutter.

Plant a food plot, disc your garden, fertilize your lawn, or move piles of dirt or rock with King Kutter ATV Products. Three different ATV Discs give hunters options that best fit their ATV and terrain, to get in the backwoods and carve out that perfect food plot. An ATV Spreader and Kulti-Packer from King Kutter allow hunters to seed and fertilize that stand of clover, alfalfa, or other grass to grow trophy deer. Hauling material? King Kutters XB Dump Trailer can handle the job. Whether planting a deer plot, making a garden, or hauling dirt, King Kutter ATV Products get the job done right.



21 Cast Iron Packer Wheels



Durable Notched Blades



1.5 Ton Capacity







King Kutter's Flip Over Disc is designed for hunters and homeowners alike. It is great for putting in a food plot to attract deer, or to prepare the garden for spring planting. With features built in from our high quality lift type 3-pt mounted Discs, like sealed bearings, and heavy gang hangers, it provides the quality you need in a pull type design. The 16" notched blades cut and turn the soil, providing an ideal seedbed. King Kutter's Flip Over Disc would be a welcome addition to any hunter or ATV owner's shed.

### ***Model type:***

Flip Over Disc – 3" square tube frame, flip over design for transport, 48" cutting width, adjustable tongue height, 1 7/8" ball hitch.

(Model: 16-8-CDF)



Flip Over Disc



Flip Over Tongue



Align for Hook Up



Attach to ATV







Model shown, 14-10-CD

King Kutter's 14-10-CD Compact Disc is great for preparing wildlife food plots, working up the soil in the garden, or when reseeding part or all of your lawn. The unique pull tongue design allows you to transfer weight to the disc without adding additional weight. A hand crank jack allows you to raise or lower the wheels to go from the transport position to a working position quickly and easily.



### ***Model type:***

33" Compact Disc -- Square tube frame, 1" high carbon steel axles, 14" notched blades, unique pull tongue design, 1 7/8" ball hitch, 33" cutting width, sealed gang axle bearings. (Model: 14-10-CD)



14 in. Notched Blades



Sealed Bearings



Depth Control with Jack





Model shown: 14-14-CD

King Kutter's 14-14-CD Compact Disc is the ideal disc for preparing wildlife food plots. At 48 inches wide, this disc allows you to cover more ground quickly. Sealed gang axle bearings make this disc virtually maintenance free, and the 14" notched blades aggressively turn the soil leaving an ideal seed bed for clover, alfalfa, or grass. Basically, the 14-14-CD has all of the features of the 14-10-CD in a larger package.

### **Model type:**

48" Compact Disc - Square tube frame, 1" high carbon steel axles, 14" notched blades, unique pull tongue design, 1 7/8" ball hitch, 48" cutting width, sealed gang axle bearings. (Model: 14-14-CD)



Manage Cutting Depth



Adjustable Tongue Height





# Kulti-Packer



King Kutter's Kulti-Packer is the ideal tool for pressing grass, clover, or alfalfa seed into the seedbed, to produce optimal soil-to-seed contact and achieve a desirable stand. It can also be used to break up dirt clods prior to planting, seeding, or fertilizing. The flip over design allows you to go from transport to working in a matter of seconds.

## **Model type:**

Kulti-Packer – Flip over tongue design, 3/16" steel frame, 1 7/8" ball hitch, 21 individual cast iron packer wheels.  
(Model: KP-48-ATV)

# ATV Seeder / Spreader



King Kutter's ATV Seeder / Spreader is perfect for spreading seed, fertilizer, or other material on your wildlife food plot, or lawn. The 400 lb. hopper capacity is the ideal size for most ATV's or UTV's. Our ATV Seeder / Spreader utilizes turf tires, and a ground driven gearbox perfect for use on lawns or freshly tilled soil. The ground driven gearbox can be dis-engaged for transport, by simply removing a pin.

## **Model type:**

ATV Seeder/Spreader – Adjustable height tow hitch, wind-drift shield, turf tires, 400 lb. capacity.  
(Model: S-ATV-180)



From Working Mode



To Transport Mode



Ground Driven Gearbox



400 lb. Capacity





The Perfect  
Dump Trailer for Your  
ATV, UTV, or Compact Tractor

King Kutter's 1.5 Ton XB Sub-Compact Dump Trailer is the most versatile dump wagon on the market. It's perfect for ATVs, UTV's, and compact tractors. Whether hauling materials, choring, gardening, or carrying your deerstand to the woods, the XB Sub-Compact Dump Trailer is as tough as they come.



XB Sub-Compact  
Dump Trailer

XB Sub-Compact Dump Trailer – 1.5 ton capacity, rear dump design, double acting pump, single action cylinder, 2 way opening tailgate, walking beam tandem axle.

(Model: 1.5T-DT-XB)

Performance



# ATV Products Specifications

<b>Model</b>	16-8-CDF
Approx. Weight	309 lbs.
<b>Performance</b>	
Working Width	48"
Working Depth*	5"
No. of Disc Blades	8
Disc Blade Diameter	16"
Blade Description	Notched
<b>Construction</b>	
Hitch	Adjustable height pull tongue
Hitch Ball Diameter	1 7/8"
Frame	3" Square tubing
Bearings	Sealed, Ball
Wheels	(2) Pneumatic - 11" x 4"
Gang Axle	1" Square

<b>Model</b>	14-10-CD	14-14-CD
Approx. Weight	235 lbs.	305 lbs.
<b>Performance</b>		
Working Width	33"	48"
Working Depth*	5"	5"
No. of Disc Blades	10	14
Disc Blade Diameter	14"	14"
Blade Description	Notched	Notched
Gang Configuration	Offset	Offset
<b>Construction</b>		
Hitch	Adjustable height pull tongue	Adjustable height pull tongue
Hitch Ball Diameter	1 7/8"	1 7/8"
Frame	2" Square tubing	2" Square tubing
Bearings	Sealed, Ball	Sealed, Ball
Depth Control	Screw Jack	Screw Jack
Wheels	(2) Pneumatic - 11" x 4"	(2) Pneumatic - 11" x 4"
Gang Axle	1" Square	1" Square

<b>Model</b>	KP-48-ATV
Approx. Weight	307 lbs.
<b>Performance</b>	
Working Width	48"
No. of Packer Wheels	21
Packer Wheel Dimensions	9 1/2" x 2 1/4" - 15 tooth
Packer Wheel Material	Cast iron
<b>Construction</b>	
Hitch	Pull tongue
Hitch Ball Diameter	1 7/8"
Frame	3/16" Steel
Wheel Shaft Bearings	Greaseable
Transport Wheels	(2) Pneumatic - 13" x 5"
Packer Wheel Axle	1 3/4" solid steel

<b>Model</b>	S-ATV-180
Approx. Weight	179 lbs.
<b>Performance</b>	
Capacity*	400 lbs.
Spreader Drive	Ground driven gearbox
Gearbox Disengage	Pin
Spread Rate Adjustment	Lever type
<b>Construction</b>	
Hopper	Seamless Steel
Hitch	Adjustable height pull tongue
Hitch Ball Diameter	1 7/8"
Frame	Tubular Steel
Wheel Shaft Bearings	Greaseable
Wheels	(2) Pneumatic - 16" x 6 1/2" Turf

<b>Model</b>	1.5T-DT-XB
Approx. Weight	864 lbs
<b>Performance</b>	
Capacity Weight	1.5 ton
Capacity (Level Full)	26.59 cu. Ft
Dump Angle	50°
Bed Lift Type	Man. double acting hydraulic pump
Tailgate	Dumpruck style swinging dump or Pickup truck style fold down
<b>Construction</b>	
Side Panels	13" high
Front Panels	13" high
Rear Panels	14" high
Bed Width	50.5"
Bed Length	70"
Bed Height	21"
Bed Floor	12 ga. Steel
Tire Size	18 x 9.5 - 8
No. Of Tires	4

\*Capacity may vary depending on product.

\*Working depth can vary with soil type and conditions.

\*Specifications also available at [www.kingkutter.com](http://www.kingkutter.com).

\*Weights are for products only. Does not include packaging material.

**King Kutter Inc.**

PO Box 1200

Winfield, AL 35594

205.487.3202

[www.kingkutter.com](http://www.kingkutter.com)

**KingKutter®**  
INCORPORATED

**Quality Rotary Mowers & Farm Equipment**

King Kutter, Inc. reserves the right to change model number or optional equipment and product specifications without notice.